



9	.625	.050	1.250	1.350	27	1.530	28	10	9-104074-0
	1.175	.050	2.350	2.450	49	2.630	50	10	8-104074-9
	1.050	.050	2.100	2.200	44	2.380	45	10	8-104074-8
	.925	.050	1.850	1.950	39	2.130	40	10	8-104074-7
	.825	.050	1.650	1.750	35	1.930	36	10	8-104074-6
	.600	.050	1.200	1.300	26	1.480	27	10	8-104074-5
	-	.050	.950	1.050	21	1.230	22	10	8-104074-4
	-	.050	.700	.800	16	.980	17	10	8-104074-3
	-	.050	.500	.600	12	.780	13	10	8-104074-2
	-	.050	.450	.550	11	.730	12	10	8-104074-1
	-	.175	-	.350	7	.530	8	10	8-104074-0
	-	.150	-	.300	6	.480	7	10	7-104074-9
	-	.125	-	.250	5	.430	6	10	7-104074-8
	-	.075	-	.150	3	.330	4	10	7-104074-7
	.675	.050	1.350	1.450	29	1.630	30	10	7-104074-6
	-	.050	1.100	1.200	24	1.380	25	10	7-104074-5
	-	.050	.850	.950	19	1.130	20	10	7-104074-4
	-	.050	.600	.700	14	.880	15	10	7-104074-3
	-	.100	-	.200	4	.380	5	10	7-104074-2
	-	.050	.350	.450	9	.630	10	10	7-104074-1
6	.625	.050	1.250	1.350	27	1.530	28	11	7-104074-0
	1.175	.050	2.350	2.450	49	2.630	50	10	6-104074-9
	1.050	.050	2.100	2.200	44	2.380	45	10	6-104074-8
	.925	.050	1.850	1.950	39	2.130	40	10	6-104074-7
	.825	.050	1.650	1.750	35	1.930	36	10	6-104074-6
	.600	.050	1.200	1.300	26	1.480	27	13	6-104074-5
	-	.050	.950	1.050	21	1.230	22	10	6-104074-4
	-	.050	.700	.800	16	.980	17	13	6-104074-3
	-	.050	.500	.600	12	.780	13	13	6-104074-2
	-	.050	.450	.550	11	.730	12	13	6-104074-1
	-	.175	-	.350	7	.530	8	10	6-104074-0
	-	.150	-	.300	6	.480	7	10	5-104074-9
	-	.125	-	.250	5	.430	6	10	5-104074-8
	-	.075	-	.150	3	.330	4	10	5-104074-7
	.675	.050	1.350	1.450	29	1.630	30	10	5-104074-6
	-	.050	1.100	1.200	24	1.380	25	10	5-104074-5
	-	.050	.850	.950	19	1.130	20	10	5-104074-4
	-	.050	.600	.700	14	.880	15	10	5-104074-3
	-	.100	-	.200	4	.380	5	10	5-104074-2
	-	.050	.350	.450	9	.630	10	10	5-104074-1
FINISH	F	E	D	C	B	A	NO OF POSN	PART NUMBER	

8	.625	.050	1.250	1.350	27	1.530	28	10	4-104074-0
	1.175	.050	2.350	2.450	49	2.630	50	10	3-104074-9
	1.050	.050	2.100	2.200	44	2.380	45	10	3-104074-8
	.925	.050	1.850	1.950	39	2.130	40	10	3-104074-7
	.825	.050	1.650	1.750	35	1.930	36	10	3-104074-6
	.600	.050	1.200	1.300	26	1.480	27	10	3-104074-5
	-	.050	.950	1.050	21	1.230	22	10	3-104074-4
	-	.050	.700	.800	16	.980	17	10	3-104074-3
	-	.050	.500	.600	12	.780	13	10	3-104074-2
	-	.050	.450	.550	11	.730	12	10	3-104074-1
	-	.175	-	.350	7	.530	8	10	3-104074-0
	-	.150	-	.300	6	.480	7	10	2-104074-9
	-	.125	-	.250	5	.430	6	10	2-104074-8
	-	.075	-	.150	3	.330	4	10	2-104074-7
	.675	.050	1.350	1.450	29	1.630	30	10	2-104074-6
	-	.050	1.100	1.200	24	1.380	25	10	2-104074-5
	-	.050	.850	.950	19	1.130	20	10	2-104074-4
	-	.050	.600	.700	14	.880	15	10	2-104074-3
	-	.100	-	.200	4	.380	5	10	2-104074-2
	-	.050	.350	.450	9	.630	10	10	2-104074-1
1	.625	.050	1.250	1.350	27	1.530	28	11	2-104074-0
	1.175	.050	2.350	2.450	49	2.630	50	10	1-104074-9
	1.050	.050	2.100	2.200	44	2.380	45	10	1-104074-8
	.925	.050	1.850	1.950	39	2.130	40	10	1-104074-7
	.825	.050	1.650	1.750	35	1.930	36	12	1-104074-6
	.600	.050	1.200	1.300	26	1.480	27	13	1-104074-5
	-	.050	.950	1.050	21	1.230	22	10	1-104074-4
	-	.050	.700	.800	16	.980	17	13	1-104074-3
	-	.050	.500	.600	12	.780	13	13	1-104074-2
	-	.050	.450	.550	11	.730	12	10	1-104074-1
	-	.175	-	.350	7	.530	8	10	1-104074-0
	-	.150	-	.300	6	.480	7	11	104074-9
	-	.125	-	.250	5	.430	6	10	104074-8
	-	.075	-	.150	3	.330	4	10	104074-7
	.675	.050	1.350	1.450	29	1.630	30	10	104074-6
	-	.050	1.100	1.200	24	1.380	25	10	104074-5
	-	.050	.850	.950	19	1.130	20	10	104074-4
	-	.050	.600	.700	14	.880	15	10	104074-3
	-	.100	-	.200	4	.380	5	10	104074-2
	-	.050	.350	.450	9	.630	10	10	104074-1
FINISH	F	E	D	C	B	A	NO OF POSN	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN R BROWN 18OCT04  
 CHK D SIMPSON 18OCT04  
 APVD D SIMPSON 18OCT04 NAME  
 PRODUCT SPEC 108-1093  
 APPLICATION SPEC 114-25031  
 WEIGHT -  
 CUSTOMER DRAWING

TE Connectivity  
 HEADER ASSEMBLY, RIGHT ANGLE  
 SINGLE ROW, W/SIDE & END LATCHES  
 AMPMODU SYSTEM 50

SIZE A1 CAGE CODE DRAWING NO 00779 ©=104074  
 SCALE 4:1 SHEET 2 OF 2 REV U

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-104074-1](#)